

TRUSTED TO PROTECT FIRST RESPONDERS

FIELD SERIES® • WHELEN ENGINEERING COMPANY, INC.

FIELD SERIES®


THE ONLY BROW LIGHT THAT FEATURES
REVOLUTIONARY DYNAMIC BEAM TECHNOLOGY

WHELEN
MANUFACTURED IN AMERICA



FIELD SERIES®

Designed with input from firefighters across the country, built with precision, and rigorously tested in both optical labs and real-world conditions, the Field Series® Brow Light delivers unmatched performance. As the only brow light that illuminates your entire field of vision with our revolutionary dynamic beam technology, it provides advanced control and maximum visibility at the flip of a switch.



Engineer Kris Terpe works on our Field Series Brow Light to ensure it is optimized to safeguard first responders on every scene. His dedication and skill contribute to our mission to craft America's best products and helps to ensure our legacy of excellence endures.

WHELEN
MANUFACTURED IN AMERICA

WARNING: This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.


FIELD
SERIES®

AMERICAN INNOVATION FROM START TO FINISH

When you show up at a scene, you follow protocol. You don't cut corners. You move with purpose and make sure the job is done right every time. So do we.

We don't launch a product until we're certain that it will be the best and safest asset for your critical missions. Because you deserve products that are designed and manufactured with the same intentionality and commitment to excellence that you show every single day.

The Field Series® is a testament to our longstanding tradition of vertical integration with every step of the process being completed by our employees right here in America.



ENGINEERING



ENVIRONMENTAL TESTING



TOOLING



INJECTION & VACUUM MOLDING



FABRICATION



HARD-COATING



ASSEMBLY




QUALITY CONTROL & TESTING



LIFETIME WARRANTY


The Field Series is backed by our Lifetime Warranty. You can trust that your Field Series brow light will perform at the highest level in even the harshest conditions and feel secure in the knowledge that, no matter what happens, your purchase is covered for the entire lifetime of your apparatus. Ask your Whelen sales representative for more information on our lifetime warranty.

FIELD
SERIES

 WARNING: This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.


WHELEN
MANUFACTURED IN AMERICA

ILLUMINATE YOUR **ENTIRE** FIELD OF VISION: REVOLUTIONARY BREAKTHROUGH OPTIC TECHNOLOGY




FAR FIELD

Light up the night with our Far Field optic technology that emits light in a wide and even spread at a greater distance than any other brow light on the market. You'll have full visibility of what lies ahead so you can act faster during critical missions when seconds count.



NEAR FIELD

Our Near Field optic technology directs the light spread down toward the ground providing precise illumination of the immediate area surrounding your apparatus. Operate with enhanced efficiency as you reach for the critical tools needed to get the job done.



NEAR & FAR FIELD

Combine the precision of Near Field Optics with the depth of Far Field Optics for unmatched illumination that covers your entire field of vision. Combined optics allow you to maximize your efforts and stay safe on any scene.




VARIABLE POWER DISTRIBUTION

Put the light where you need it, when you need it most with variable power distribution which allows you to dynamically adjust how both optic paths are powered – either Near, Far, or a combination of both depending on the needs of the moment.



SELECTABLE TURN-ON FUNCTIONALITY

Much like our popular EZ Scene Lights™, the Field Series® features multiple turn-on styles from instant to gradual that will allow you to use our brow light exactly as needed in any scenario.



| Stand Alone Model | Length | Number of Lightheads |
|-------------------|-------------------|----------------------|
| FSB02B | 13.80" (35.05cm) | Two |
| FSB03B | 20" (50.80cm) | Three |
| FSB04B | 26.10" (66.29cm) | Four |
| FSB05B | 32.20" (81.79cm) | Five |
| FSB06B | 38.40" (97.54cm) | Six |
| FSB07B | 44.50" (113.03cm) | Seven |
| FSB08B | 50.60" (128.52cm) | Eight |
| FSB09B | 56.70" (144.02cm) | Nine |
| FSB10B | 62.90" (159.77cm) | Ten |
| FSB11B | 69" (175.26cm) | Eleven |
| FSB12B | 75.10" (190.75cm) | Twelve |
| FSB13B | 81.30" (206.50cm) | Thirteen |

| Interconnect Model | Length | Number of Lightheads |
|--------------------|-------------------|----------------------|
| FSB02MB | 13.80" (35.05cm) | Two |
| FSB03MB | 20" (50.80cm) | Three |
| FSB04MB | 26.10" (66.29cm) | Four |
| FSB05MB | 32.20" (81.79cm) | Five |
| FSB06MB | 38.40" (97.54cm) | Six |
| FSB07MB | 44.50" (113.03cm) | Seven |
| FSB08MB | 50.60" (128.52cm) | Eight |
| FSB09MB | 56.70" (144.02cm) | Nine |
| FSB10MB | 62.90" (159.77cm) | Ten |
| FSB11MB | 69" (175.26cm) | Eleven |

| Option | Description |
|---------|--|
| FSBCELR | Optional Left Rear Cable Exit, When Connecting Multiple Lightheads, All Cable Exits Must Be on the Same Side |
| FSBPS | Power Supply for Up to 13 Lightheads Total, with Scan-Lock™ Lighting Features and Low Power |
| FSBPC10 | 10' (3.05m) Power Supply Input Harness, No Charge When Purchasing FSBPS |
| FSBPC25 | 25' (7.62m) Power Supply Input Harness, When Purchased with FSBPS, Additional Cost |
| FSBPC50 | 50' (15.24cm) Power Supply Input Harness, When Purchased with FSBPS, Additional Cost |
| FSBPC75 | 75' (22.86m) Power Supply Input Harness, When Purchased with FSBPS, Additional Cost |
| FSBCC1 | 1' (30.48cm) Interconnect Cable for Use When Connecting Multiple Lightheads, One Required for Each Secondary Lighthead, No Charge When Purchasing FSB |
| FSBCC2 | 2' (60.96cm) Interconnect Cable for Use with Two or Three Field Series Brow Lightheads, One Required for Two Lighthead Solution and Two Required for Three Lighthead Solutions, No Charge When Purchasing FSB |
| FSBCC3 | 3' (91.44cm) Interconnect Cable for Use with Two or Three Field Series Brow Lightheads, One Required for Two Lighthead Solution and Two Required for Three Lighthead Solutions, No Charge When Purchasing FSB |
| FSBUB | Universal Adjustable Bracket Kit, Black (Curved), 2 Kits Required for 2-6 Lightheads, 3 Kits for 7-10, 4 Kits for 11-12, and 5 Kits for 13 |
| FSBLPB | "L" Bracket Kit (Low-Profile), Black, 2 Kits Required for 2-6 Lightheads, 3 Kits for 7-10, 4 Kits for 11-12, and 5 Kits for 13 |
| FSBBB | Bail Bracket Kit (Pair), 1 Kit Required Per Lighthead, Black, (Requires FSBCBB for 7-13 Light Arrays) |
| FSBCBB | Center Mounted Bracket Kit, Black, Required for 7 or More Lightheads When Used with Bail Bracket, 7-10 Lightheads Requires 1; 11-12 Lightheads Requires 2; 13 Lightheads Requires 3; When Not Using FSBBB Bail Bracket, 2 Kits Required for 2-6 Lightheads; 3 Kits for 7-10; 4 Kits for 11-12; and 5 Kits for 13 |
| FSBLBB | Lightbar Bracket Kit, Black, 2 Kits Required for 2-6 Lightheads; 3 Kits for 7-10; 4 Kits for 11-12; and 5 Kits for 13 |

Replace the Last "B" in the Model Number with "W" for a White Housing

SYSTEM CONFIGURATION

Single Stick*



Two Stick*



Three Stick*



*Max 13 lightheads per power supply

PRODUCT HOUSING COLOR OPTIONS

White

Black




FIELD
SERIES

WARNING: This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

WHELEN
MANUFACTURED IN AMERICA

SERVICEABILITY

We understand how important it is to keep your rigs ready for a call, which is why the Field Series® has been designed with serviceability in mind. Lighthouse modules are easily replaced within the overall structure of the brow light meaning there's no need to repurchase the entire unit just to replace a single module. And because the Field Series is backed by our Lifetime Warranty, replacements are covered for the entire lifetime of your apparatus.




SPECS & FEATURES


- Up to 13 Lighthoods per Power Supply in multiple configurations
- Field Serviceable
- 10-30 VDC
- Power Supply and One Lighthouse at 12.8v: 1.3A Additional Lighthouse: 1.2A per lighthouse added
- 8 total inputs
- Low Current Switching
- Extruded aluminum Black or White powder-coated housing
- Hard-coated lenses
- Scan-Lock™

| Stand Alone Model | Interconnect Model | Length | Number of Lighthoods |
|-------------------|--------------------|-------------------|----------------------|
| FSB02B | FSB02MB | 13.80" (35.05cm) | Two |
| FSB03B | FSB03MB | 20" (50.80cm) | Three |
| FSB04B | FSB04MB | 26.10" (66.29cm) | Four |
| FSB05B | FSB05MB | 32.20" (81.79cm) | Five |
| FSB06B | FSB06MB | 38.40" (97.54cm) | Six |
| FSB07B | FSB07MB | 44.50" (113.03cm) | Seven |
| FSB08B | FSB08MB | 50.60" (128.52cm) | Eight |
| FSB09B | FSB09MB | 56.70" (144.02cm) | Nine |
| FSB10B | FSB10MB | 62.90" (159.77cm) | Ten |
| FSB11B | FSB11MB | 69" (175.26cm) | Eleven |
| FSB12B | - | 75.10" (190.75cm) | Twelve |
| FSB13B | - | 81.30" (206.50cm) | Thirteen |

SINGLE STICK LENGTHS



DIMENSIONS






WHELEN
MANUFACTURED IN AMERICA



WARNING: This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

FIELD
SERIES



TRUSTED TO PROTECT FIRST RESPONDERS

FIELD SERIES®



Trusted for more than 70 years to clear the way, illuminate
+ the scene, and send you home safe night after night to the +
ones you love. We never left and we're here to stay.

WHELEN®
MANUFACTURED IN AMERICA

www.whelen.com

@WhelenENG



NASCAR®
OFFICIAL WARNING LIGHTS

Preferred Warning Lights of 

Whelen Engineering Company
(860) 526-9504
www.whelen.com

Whelen Engineering reserves the
right to upgrade and improve
products without notice.

© 2025 Whelen Engineering Company, Inc.
Printed in U.S.A.
Code No. B13492F - 02/2025

All products proudly designed, manufactured,
and assembled in the U.S.A.
• ISO 9001 Registered QMS